

IoT Based Automatic Street Lighting System

Kalyani Anna

*Department of Computer Science and Engineering
Nalla Narasimha reddy Group of Institutions, Hyderabad, Telangana, India*

Godishela Sahu Maharaj

*Department of Computer Science and Engineering
Nalla Narasimha reddy Group of Institutions, Hyderabad, Telangana, India*

Gorla Yashwanth

*Department of Computer Science and Engineering
Nalla Narasimha reddy Group of Institutions, Hyderabad, Telangana, India*

Dr. S. Sree Hari Raju, Associate professor

*Department of Computer Science and Engineering
Nalla Narasimha reddy Group of Institutions, Hyderabad, Telangana, India*

Abstract- The IoT-based automatic lighting system proposed in this paper solves the inefficiencies and problems of traditional urban lighting by using the Internet of Things (IoT) technology. The system is designed to increase energy efficiency and provide good illumination by controlling the lighting according to the environment. Infrared sensors trigger the system to turn on the street lamp by detecting motion, while LDR sensors measure the ambient light to ensure that the light is on only in the dark. The application is validated with hardware integration and programming in Arduino IDE, demonstrating real-time sensor data, decision logic, and reliable control of the street lamp. The scheme demonstrates the feasibility and effectiveness of IoT applications in urban infrastructure, providing scalability and adaptability to the smart city scale for urban development.

Keywords – Arduino, Automatic street lighting, IR Sensor, Motion detection, Ambient light detection, Energy efficiency, Smart city, Urban infrastructure

I. INTRODUCTION

Road lighting are the foremost requirement in modernday lifestyles of transportation for safety purposes and warding off injuries all through night time. Regardless of that during modern busy life no person cares about to exchange off/on at the lighting fixtures whilst no longer required. On this paper it gives technique to take away the manpower and to lessen the electricity consumption at the road. Computerized road mild machine is one of the pleasant approach which is to be used nowadays because it gives sensible road lightning mechanism. It offers mild mechanically at some stage in night time by using the assist of movement detection techniques with none human interference.

The primary objectives of the use of this sort of street lighting are; Conservation of strength for future technology as it reduces energy consumption, reducing human efforts, improves the machine in our daily lifestyles. Inside the present days automated structures have less manual operations, high flexibility and accurate.

The primary components required in making of movement Detector street lights are; LDR, LEDs, IR sensors, Microcontroller. At some point of day time there may be no requirement of road lighting so the LDR maintains the road lighting lamps off till the mild degree is low or the frequency of mild is low the resistance of the LDR is high. This prevents cutting-edge lowering to the base of the transistors. For this reason the street lights do now not glow. Power

LEDs lights are used as it saves strength, has high strength efficiency. IR sensors (infrared sensors) is an digital device which senses the movement of the object through emitting infrared radiations. IR sensors are used in night time imaginative and prescient gadgets, Hyperspectral Imaging, Meteorology, fuel Detectors, Rail protection, Petroleum exploration.

II. RELATED RESEARCH

In [1] IoT-Based Automated Street Lighting System with Arduino: This paper concentration is on reversing the unfavorable characteristics of conventional urban lighting applying IoT. The system puts in place improvised Arduino microcontroller technology enhanced by the use of IR (Infrared) and LDR (Light Dependent resistor) for better management of energy consumption, and the control of street lights. IR sensor, which gives the system ability to differentiate movement so that the street lamps can turn on when any object is moving while the LDR sensor helps the lights to only come on when the intensity of light is low. This includes interaction of hardware component, acquiring of data from the sensors, and the decision making logic which programmed using the Arduino Integrated Development Environment IDE. This research shows that IoT is feasible in the setting of urban lighting and provides further possibilities for smart city projects and sustainable city advancement.

[2] IoT and Embedded Systems for Automated Street Lighting: This paper therefore focuses on Arduino based IoT systems for automatic street lightning with special reference to energy management and smart cities. IR and LDR sensors facilitate the flexible control of lighting by intervening in movements and adjusting the intensity of the luminance by the level of lighting prevailing in the room. Through integrating Arduino for real time computation and control, power consumption inconveniences are lesser as it supports urban structures. In this study, the authors explain how embedded systems help to improve energy management in city lighting frameworks.

[3] Intelligent Street Lighting with IoT and Arduino: In this paper, the intelligent street lighting system with Arduino as the control is presented. Utilizing IR sensors for motion detection and LDR sensors for detecting light intensity, the already installed street lights are managed based on online environmental parameters. The system's objective is to achieve energy conservation and its feasibility is proved by the prototypes. It shows how the application of IOT can be done in the public domain in order to stop wastage of energy and increase the sustainability of the progressive cities.

[4] Smart Street Lighting Control System Using IoT: This paper presents an analysis of a smart street lighting system that employs IR and LDR sensors in coordination with an Arduino based control unit. The system is programmed to turn on the lights when motion is in the range and to remain off when the environment is bright enough, due to the LDR sensor. The IoT architecture enables the device to be monitored and regulated from a distance and this principle can be used to enhance power usage in smart city activities. Thus, the present research capitulates the relevance of sensor fusion and microcontroller configuration in the advancement of urban illumination networks.

[5] IoT-Based Energy-Efficient Street Lighting System: The following paper outlines a proposed IoT approach to street lighting and the associated energy saving. The systematic integration of IR motion detection and LDR ambient light sensing with an Arduino microcontroller allows for deciding when and how street lights operate optimally. A relay module is used to link the lights with the control system to enable accurate control of power. The system is designed to be tailored to smart city solutions that use actual data to enhance resource allocation of street lighting.

III. METHODOLOGY

The IoT-Based Automated Street Lighting System is a high value addition as an innovative concept devised for enhancing energy efficiency, cutting down cost of operations, and enhancing Smart City development parameters. This system incorporate use of IoT technologies to provide a responsive, adaptive and intelligent lighting system capable of meeting the todays demands of the urban environment. At its core is the Arduino microcontroller which is inexpensive and widely adopted platform controlled through the Arduino Integrated Development Environment (IDE). The use of the Arduino integrated development environment eases the development challenge as it provides a

user friendly format for coding and uploading of instructions onto the microcontroller that establishes the interaction of the whole system.

One of the most important characteristics of this system is that it works in response to data obtained from the sensors, but it is not as effective as the previous one. It employs two primary sensors: here are two sensors – Infrared (IR) sensor and Light Dependent Resistor (LDR). The IR sensor can sense any motion around the sensitive area such as moving vehicles or pedestrians, the lights will only illuminate when there is motion. This guarantees that energy we use in lighting is not in a position to light up rooms that are vacant most of the time. The LDR sensor, as for the other hand, detect the amount of light within the environment to know whether the environment is dark enough to call upon the light. From these two sensors the system ensures that lighting is only turned on at night and or when there is movement thereby making the most efficient use of the limited power available and avoiding wastage.

The main distinctive feature of this system is the IoT connectivity that allows devices to interact with the cloud platforms. These connections enable sophisticated capabilities including; monitoring, interaction in real-time, and data analysis. This information is saved to cloud servers for analysis of patterns and can be used to finetune lighting operations even more. For example, some areas where people pass by or where there is a lot of running of vehicles could be viewed and be given more light or frequent lighting than areas less used. Most areas could be lit up with least intensity. This flexibility is to allow the best usage of energy and at the same time ensure safety and visibility.

Also, an integration of IoT helps in predicting on-going problems in the system before they cause a breakdown. For example, if one streetlight or sensor is not as efficient as the rest, the system, therefore, alerts the maintenance crews in real-time hence expectantly decreasing the time up to which the people are without service. Also, the nature of the system implemented as a modular system, and hence additional components and options may include wireless communications modules, extra sensors, or renewable power sources, for instance solar panels, which ensures the system's future-proofing and application across different diverse urban environments.

It is fairly clear that the IoT-Based Automated Street Lighting System is well-scalable to accommodate as many uses as possible, ranging from downtown and highways to parks, campuses, and residential compounds. By avoiding wastage of energy and bringing down the operating costs, the system enables environmental conservation and thus fits well in the current trends to conserve carbon emissions. Besides, the ability to increase the level of public safety will only entail well-lit roads and pathways which make it appealing for adoption within smart city projects. In the future, such systems might include machine learning or artificial intelligence that will enable such systems predict the lighting requirements and enhance performance.

In summary, the IoT-Based Automated Street Lighting System is necessary to become the beneficial tool for the modern developed cities. Through the application of sensors, IoT integration and energy effective solution, what the company offers is a sustainable solution to street lighting for cities, society and the environment at large. It has real-time response capability, remote access, and flexibility as regards future technologies that makes it integral part of smart and sustainable cities.

IV. ARCHITECTURE

The structure of the IoT based control of street light system comprises of an Arduino Microcontroller, an LDR, and an IR Sensor together forming an energy efficient lighting control system. The purpose of the system is to enhance the use of energy by automating light operation depending on the light and movement around the system. Even as an input to the Arduino to classify day and night, the LDR functions as a sun level sensor that measures the amount of sunlight and when it is day this means when there is enough sunlight then the Arduino's job is to switch the lighting off." To maintain fortification of circuits in, the, at night, and, during the light.

Also, at night the system switches on the IR sensor, which can detect objects or movement in close range. This is the reason why an adaptation unit was introduced and the arduino alters the amount of light coming out depending on the input given off by the IR sensor. In the event that no movement is captured by the Infrared sensor light power is IR LOW, then the lighting intensity that will be produced will be very low. This guarantees protection while minimizing energy use. The opposite is said to be true as well when objects or movement are sensed light intensity goes all the way to high and beyond and this is recorded as IR HIGH, human activity triggers this.

The control system is meant to be intelligent and automatic by reacting to changes in the environment or changes in activity from users. It saves energy by ensuring well-lit environments when necessary and appropriate lighting when needed while decreasing energy expenditure during rest times, which is useful during the day.

Such system can be efficiently used in streetlights, parking lots or walkways for better energy management and increase automation. The system is able to meet the requirements for modern lighting efficiently and at low cost by using simple components such as LDR, IR sensor and Arduino. This design, too, conforms to the objectives of smart cities and sustainable growth by minimizing power losses and implementing automatic controls.




Fig : Street lighting System Architecture

V. EVALUATION

The paper on the IoT-Based Automated Street Lighting System offers a viable solution on the challenge with traditional street lightning using Arduino Microcontroller Technology with IR- Infrared and LDR- Light Dependent resistor. The control of the street lights in terms of movement and the intensity of the existing light makes the system more effective in using energy and minimizing uneconomical utilization of power. Real-time sensor data acquisition using IoT platform along with the decision making logic programmed through Arduino IDE show the feasibility and generality of this approach for smart city solutions. In the paper, an excellent example of how sustainability can be achieved in urban areas through automation is illustrated with concern to energy use and intelligent lights. It will could however benefit from increased focus toward several technical features including: performance testing under a variety of environmental conditions, detailed power consumption profiling and analysis, scalability issues, and certain security implications related to IoT infrastructure. In conclusion, the project reveals that IoT solutions have potential searching for solutions for the modern city and serves as a potential roadmap toward more energy-friendly smart cities.

VI. RESULT

The IoT-Based Automated Street Lighting System show the viability of the application of Arduino microcontroller technology with IR and LDR sensors to operate street lights. The system was able to turn on the street lights depending on motion detection as well as the lighting conditions and only turn on the lights during dark especially when there was motion. This responsive and energy-efficient design was confirmed by a sensor data acquisition and the proper functioning of the decision-making logic in hardware implementation. In regard to this the system was determined to effective in managing the street lights, the energy conservation as well as the positive impact which it offered to the sustainable developments of the towns. Further, the viability for scaling up was demonstrated, and therefore can be recommended for smart city use cases where energy efficiency and automation of structures are crucial.



Fig : Dark and Motion detected




Fig: Bright or No Motion detected

VII. CONCLUSION

The "IoT Based Automatic Street Lighting System" project is the most cost-effective, practical, environmentally friendly and energy-saving safe system. The system can access information lighting anytime and anywhere. It clearly solves the two problems facing the world today, such as energy saving and waste of incandescent lamps, very well. The initial cost and maintenance cost will be the disadvantages of this project. With the development of technology and good resource planning, production costs can be reduced, and regular inspection and

maintenance can also be reduced with the use of good equipment. LEDs have a long life, emit cold light, the donor is non-toxic, and can be used for quick changes. Therefore, our project offers additional benefits that can overcome current limitations. Consider the long- term benefits and the initial cost is not a problem since the payback period is very short. The project is designed for various uses such as parking lot lighting in businesses, schools, stores. This also applies to companies in schools and businesses.

VIII. REFERENCES

- [1] J. C. Downey, "Discussion on street lighting", in Trans SAIEE, vol. 48, no. 1, pp. 36- 38, January 1957.
- [2] A. Lavric, V. Popa, C .Males and I.Finis, "A performance study of ZigBee wireless sensor network topologies for street lighting control systems", International Workshop on Mobile Ad-Hoc W
- [3] P.Y. Chen, Y.H. Liu, Y.T. Yau and H.C.Lee, "Development of energy efficient street lighting system", IEEE International Conference on Sustainable Energy Technologies, Singapore, 2008, Pages –.
- [4] A. Szalai, T. Szabó, P. Horváth, A. Timár and A. Poppe, "Smart SSL: Application of IoT/CPS design platforms in LED-based streetlighting luminaires," Proceedings of the 2016 IEEE Lighting Conference of the Visegrad Countries (Lumen V4), Karpacz, Poland, 2016
- [5] R. Prasad, "Energy Efficient Smart Street Lighting System in Nagpur Smart City using IoT - A Case Study." 2020 Fifth International Conference on Fog and Mobile Edge Computing (FMEC), Paris, France.
- [6] M. Modabbir Khan & A. Mohammad, "Energy and Economic Analysis of Smart Technologies on Street Lighting System", Proceedings of International Conferences on Advanced Computing and Communication Systems, Coimbatore, India 2023.